

InfoSafe No™ VAR4F

Issue Date : June 2023

ISSUED by MILESTON

Product Name **KLEENBREAK**

Section 1 - Identification

Product Identifier	KLEENBREAK
Company Name	Milestone Chemicals Pty. Ltd. (ABN 85115166357)
Address	115 Northern Road West Heidelberg VIC 3081 AUSTRALIA
Telephone/Fax Number	Tel: (03) 9450 4555 Fax: (03) 9457 5518
Emergency Phone Number	(03) 9450 4555 Mon-Fri 8am - 6pm
Recommended use of the chemical and restrictions on use	High solid, solvent boosted alkaline cleaner for floors, exhaust fans, vents, walls and ceilings.

Section 2 - Hazard(s) Identification

GHS Classification of the Substance/Mixture	Eye damage/irritation: Category 2A Skin corrosion/irritation: Category 2
Signal Word	WARNING
Hazard Statement (s)	H315 Causes skin irritation. H319 Causes serious eye irritation.
Pictogram (s)	Exclamation mark



Precautionary Statement – Prevention	P264 Wash contaminated skin thoroughly after handling. P280(f) Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement – Response	P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.
Precautionary Statement – Storage	P404 Store in a closed container.
Precautionary Statement – Disposal	P501 Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.
Precautionary Statement – General	P102 Keep out of reach of children. P103 Read carefully and follow all instructions.

Section 3 - Composition and Information on Ingredients

Ingredients	Name	CAS	Proportion
	2-Butoxyethanol	111-76-2	10-20 %
	Sodium hydroxide	1310-73-2	1%
	Ingredients determined not to be hazardous, including water.		to 100%

Section 4 - First Aid Measures

Inhalation	Remove from exposure. If aspirated into the lungs, obtain immediate medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water to be taken slowly. Seek urgent medical assistance.

InfoSafe No™ VAR4F

Issue Date : June 2023

ISSUED by MILESTON

Product Name **KLEENBREAK**

Skin	If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If irritation persists see a doctor.
Eye	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
First Aid Facilities	Eye wash station and normal washroom facilities.
Advice to Doctor	Vomiting has not been induced because of risk of aspiration into the lungs. Treat symptomatically. Contact Poisons Information Centre.

Section 5 - Firefighting Measures

Suitable Extinguishing Media	Use extinguishing media appropriate to surrounding fire.
Hazards from Combustion Products	Water vapour, carbon dioxide and oxides of nitrogen. Incomplete combustion may generate carbon monoxide.
Special Protective Equipment for Firefighters	Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.
Specific Hazards Arising from the Chemical	Not a fire hazard. Not an explosion hazard.

Section 6 - Accidental Release Measures

Spills & Disposal	Before dealing with spillage take necessary protective measures, inform others to keep at a safe distance. Spillages will be very slippery. Contain large spills with an inert material such as sand, soil or vermiculite. Collect and seal in properly labelled containers for disposal. Small spills may be mopped up. If local regulations permit, wash down area with excess water and run to waste, diluting greatly with running water. Otherwise absorb on inert absorbent, transfer to container and arrange removal by disposals company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapour.
------------------------------	---

Section 7 - Handling and Storage

Conditions for safe storage, including any incompatibilities	Store in cool place in original container. Store away from oxidising agents, acids and foodstuffs. Keep containers closed when not in use. Store out of reach of children. Large quantities should be stored in a bunded area. Do not mix with other chemicals. Clean up all spills and splashes promptly; avoid secondary accidents.
---	---

Section 8 - Exposure Controls and Personal Protection

Occupational Exposure Limit (OEL) Values	<u>Name</u>	STEL		TWA		
		<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	<u>Footnote</u>
	2-Butoxyethanol			121	25	
	Sodium hydroxide			2		Peak limitation
Engineering Controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate unless the material is heated, reacted or otherwise changed in some type of chemical reaction, then the use of a local exhaust ventilation system is recommended.					
Personal Protective Equipment	Prevent contact with the eyes. Avoid contact with the skin. Avoid breathing vapours. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:- Goggles, face shield or safety glasses Gloves, rubber or plastic Plastic apron, sleeves and boots. Respirators in accordance with AS/NZS 1715/1716. The use of a P1 dust mask (disposable) or with replaceable filters is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant. If					

InfoSafe No™ VAR4F

Issue Date : June 2023

ISSUED by MILESTON

Product Name **KLEENBREAK**

entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the toilet.

Section 9 - Physical and Chemical Properties

Form	Liquid
Appearance	Pale fluorescent yellow liquid
Odour	Typical glycol ether odour
Boiling Point	About 100°C
Solubility in Water	Soluble in water in all proportions.
Specific Gravity	1.01
pH	11.5 (1% solution)
Vapour Pressure	Not available.
Flash Point	None
Flammability	Not flammable.

Section 10 - Stability and Reactivity

Chemical Stability	Stable under normal use conditions.
Conditions to Avoid	Heat, flames, ignition sources and incompatibles.
Incompatible Materials	Strong alkalis, acids, oxidizing agents.
Hazardous Decomposition Products	Emits smoke and fumes when heated to decomposition.

Section 11 - Toxicological Information

Acute Toxicity - Oral	LD50 2-Butoxy ethanol 470mg/kg oral, rat Surfactants >1.800 mg/kg oral, rat Sodium hydroxide 500 mg/kg oral, rabbit
Acute Toxicity - Dermal	2-Butoxy ethanol Dermal LD50(rabbit): 220 mg/kg
Acute Toxicity - Inhalation	2-Butoxy ethanol LC50 (rat): 450 ppm/4Hr
Ingestion	Harmful if swallowed. May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea. Swallowing large quantities of 2-butoxy ethanol may result in metabolic acidosis, hypokalemia, hemoglobinuria, and possibly deep coma.
Inhalation	Unlikely route owing to the low volatility of ingredients. If aspirated into the lungs during swallowing or vomiting, may lead to chemical pneumonitis.
Skin	Will have a strong degreasing effect on the skin. May cause irritation. Repeated or prolonged skin contact may lead to irritant contact dermatitis. Can be absorbed through the skin with resultant toxic effects.
Eye	Will cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision. Depending upon duration of exposure, eye damage may occur.
Chronic Effects	Evidence from animal tests with 2-butoxy ethanol indicate that repeated or prolonged exposure to this chemical could result in liver, kidney, blood and central nervous system disorders.

InfoSafe No™ VAR4F

Issue Date : June 2023

ISSUED by MILESTON

Product Name **KLEENBREAK**

Section 12 - Ecological Information

Ecotoxicity	May be harmful to aquatic organisms.
Persistence and Degradability	Inherently Biodegradable.
Mobility	Readily dilutes with water.
Environmental Fate	This substance may cause long term adverse effects in the environment
Environmental Protection	Avoid contaminating waterways, drains, sewers, or ground.

Section 13 - Disposal Considerations

Waste Disposal	Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.
-----------------------	---

Section 14 - Transport Information

Transport Information	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
------------------------------	--

Section 15 - Regulatory Information

Poisons Schedule	S6
Australia (AICS/AIIC)	All components listed.

Section 16 - Any Other Relevant Information

Date of Preparation	30/06/2023
Literature References	Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals
Signature of Preparer/Data Service	Technical manager Tel: (03) 9450 4555
Technical Contact Numbers	Emergency Advice All Hours: Chief Chemist Tel: (03) 9450 4555 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs
Other Information	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below. ...End Of SDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XPO and any other electronic files rendered by an InfoSafe system for InfoSafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each InfoSafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.